

STRUT - MODEL: OS2CT

Recessed Trim Channel


WAC LIGHTING

Responsible Lighting®


项目名称:

灯位号:

产品图片



线图



产品描述

STRUT 轨道适配于 WAC STRUT 低压轨道系统灯具,多种安装方式, 适配多种天花安装。DC48V 输入,最大总负载电流可达 12.5A。可以任意形状拼接, 满足不同的照明应用环境需求, 广泛应用于办公,商业等照明空间场所

产品特性

- 主体材质: 铝合金灯体
- 表面处理: 静电粉末喷涂/阳极氧化
- 安规认证: /
- 防护等级: IP20
- 绝缘等级: Class I

产品规格

- 长度: 0.3M/1.2M/2.4M/3.6M
- 输入电压: DC48V
- 调光控制: ON-OFF/0-10V/ELV/DMX512/无线及手机 APP 控制
- 产品重量: 约 0.8Kg(0.3M),2.24Kg(1.2M),4.56Kg(2.4M),6.8Kg(3.6M) ,不含包装

订购模型

Model	Length		Finish
OS2CT04-FE	04 1.2M Trim Recessed Feed End	Required Power Feed Run Connected Power Unit Required See page 44 (sold separately)	BK Black
OS2CT08-FE	08 2.4M Trim Recessed Feed End		WT White
OS2CT12-FE	12 3.6M Trim Recessed Feed End		

示例: OS2CT04-FE-BK

Model	Length		Finish
OS2CT01	01 0.3M Trim Recessed Channel	To extend channel runs after feed end	BK Black
OS2CT04	04 1.2M Trim Recessed Channel		WT White
OS2CT08	08 2.4M Trim Recessed Channel		
OS2CT12	12 3.6M Trim Recessed Channel		

示例: OS2CT01-BK

窄边嵌装连接器配件

WAC Lighting
www.waclighting.com (US)
www.waclighting.com.cn (China)

Headquarters
44 Harbor Park Drive • Port Washington, NY
Phone (516) 515.5000 • Fax (516) 515.5050

WAC Lighting(Shanghai)
14,Lane 299, Bi Sheng Road,Shanghai 201204
Phone (86.21) 3393.3558 • Fax (86.21) 3362.1598

STRUT - MODEL: OS2CT

Recessed Trim Channel

WAC LIGHTING

Responsible Lighting®

项目名称:

灯位号:

Model	Description	Pic
OS2CT-FEB-BK OS2CT-FEB-WT	Feed End Junction Box 5in junction box with side knockouts	
OS2CSR-I-BK	I Connector Joins two channel sections with electrical continuity	
OS2C-ID-BK	Dead I Connector Joins two channel sections without electrical continuity	
OS2CT-L-BK OS2CT-L-WT	L Connector Joins two channel sections 90°	
OS2CT-T-BK OS2CT-T-WT	T Connector Joins three channel sections	
OS2CT-X-BK OS2CT-X-WT	X Connector Joins four channel sections	
OS2CT-IC-BK OS2CT-IC-WT	Inside Corner Joins ceiling to wall channel sections	

STRUT - MODEL: OS2CT




Recessed Trim Channel

WAC LIGHTING





Responsible Lighting®

项目名称:

灯位号:

OS2CT-OC-BK OS2CT-OC-WT	Outside Corner Joins wall to wall channel sections	
OS2CPST-IC-BKBK OS2CPST-IC-BKWT OS2CPST-IC-WTWT OS2CPST-IC-WTBK	Surface/Suspended to Recessed Corner Joins suspended or surface mounted channel to recessed channel	
OS2CT-EC-BK OS2CT-EC-WT	End Cap Additional end cap	

窄边嵌装配件

Model	Description	Pic
OS2CR-CLIP-BK	Mount Clip Support recessed channel with 1/4 - 20 threaded rod (rod by others)	
OS2C-C96-BK	Cable Suspension Support recessed channel from plenum ceiling. Includes 96in aircraft cable; may be field cut	
OS2C-S96-BK	Stem Suspension Support recessed channel from plenum ceiling. Includes two 48in stem; may be field cut	
OS2C-LOOP-BK	Suspension Loop Mechanical loop Supports up to 15 lb	

WAC Lighting

www.waclighting.com (US)

www.waclighting.com.cn (China)

Headquarters

44 Harbor Park Drive • Port Washington, NY

Phone (516) 515.5000 • Fax (516) 515.5050

WAC Lighting(Shanghai)

14,Lane 299, Bi Sheng Road,Shanghai 201204

Phone (86.21) 3393.3558 • Fax (86.21) 3362.1598

STRUT - MODEL: OS2CT


Recessed Trim Channel

WAC LIGHTING

Responsible Lighting®

项目名称:

灯位号:

OS2SN-1-BK	VACANCY/PHOTO SENSOR	
OS2C-COV08-BK OS2C-COV08-WT	Channel Cover 2.4M 2.4M length may be field cut, Suitable for top or bottom channel coverage.	